



MATERIAL SAFETY DATA SHEET

DEXOL

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Dexol Spot Weeder
EPA REG. NUMBER: 2217-537-192
PRODUCT NUMBER: D0446

MANUFACTURER: Value Garden Supply
ADDRESS: P.O. Box 585, St. Joseph, MO 64502

MANUFACTURER PHONE: (888) 603-1008
MANUFACTURER FAX PHONE: (952) 884-6149
EMERGENCY PHONE: (800) 858-7378

PRODUCT USE: Kills weeds, not the lawn.

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

<u>INGREDIENTS*:</u>	<u>CAS NO.</u>	<u>% WT</u>	<u>OSHA TWA</u>	<u>OSHA STEL</u>	<u>ACGIH TWA</u>	<u>ACGIH STEL</u>
Dimethylamine Salt of 2,4-dichlorophenoxyacetic acid (2,4-D)	94-75-7	0.593%	10 mg/m ³	NE	10 mg/m ³	NE
Dimethylamine Salt of 2-(2-Methyl-4-chlorophenoxy) propionic acid (MCP)	7085-19-0	0.287%	NE	NE	NE	NE
Dimethylamine Salt of 3,6-dichloro-o-anisic acid (Dicamba)	1918-00-9	0.066%	NE	NE	NE	NE

* All ingredients in quantities > 1.0 % (0.1 % for carcinogens or teratogens) that are **potentially** hazardous per OSHA definitions

N/A = not applicable NE = not established

SECTION 3: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: Potential Health Effects

POTENTIAL HEALTH EFFECTS: This material may cause eye burns and moderate irritation of the skin. Personnel responding to a spill of this material should wear protective clothing to avoid prolonged skin contact or inhalation of mist to prevent toxic effects.

CARCINOGENICITY: The International Agency for Research on Cancer (IARC) lists chlorophenoxy herbicides in its Group 2B (limited evidence for carcinogenicity in humans.) The US EPA has given the chlorophenoxy herbicides 2,4-D, 2,4-DP, MCP, and MCPA a Class D classification (not classifiable as to human carcinogenicity.) More current 2,4-D lifetime feeding studies in rats and mice did not show carcinogenic effects and a recent World Health Organization (WHO) review of 2,4-D toxicology has concluded that 2,4-D is not a carcinogen.

SECTION 4: FIRST AID MEASURES

EYES: Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.

INGESTION: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

INHALATION: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.

CHRONIC: Repeated and/or prolonged overexposure may cause chronic irritation of respiratory tract. Overexposure may cause adverse effects to liver, kidneys, skin, muscular and gastrointestinal systems.



MATERIAL SAFETY DATA SHEET



SECTION 5: FIRE-FIGHTING MEASURES

FLAMMABILITY CLASSIFICATION: N/A

FLASH POINT: 114°F

AUTOIGNITION TEMPERATURE: NE

EXTINGUISHING MEDIA: Foam, CO2, Dry chemical, water.

SPECIAL FIRE FIGHTING PROCEDURES: Wear positive pressure breathing apparatus and full protective clothing.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Burning product may produce irritating or poisonous gases. Runoff from fire control area or dilution water may cause pollution. If surface water is contaminated, contact local authorities.

NFPA HAZARD CLASSIFICATION:	<u>HEALTH</u> 3	<u>FIRE</u> 1	<u>REACTIVITY</u> 1	<u>SPECIFIC</u> N/A
------------------------------------	--------------------	------------------	------------------------	------------------------

NFPA HAZARD RATING CODES:	<u>INSIGNIFICANT</u> 0	<u>SLIGHT</u> 1	<u>MODERATE</u> 2	<u>HIGH</u> 3	<u>EXTREME</u> 4
----------------------------------	---------------------------	--------------------	----------------------	------------------	---------------------

SECTION 6: ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Do not touch spilled product. See Section 8 for Personal Protective Equipment. Pick up liquid with Oil Dry, cat litter, clay, rags or other absorbent and place in a disposable container. Dispose of in accordance with instructions in Section 13.

CONTAINMENT: Contain spill and absorb onto inert absorbent such as Dri-Rite, sand or pet litter. Collect into drums; cover and label drums for proper disposal. Flush area with water if possible.

REGULATORY REQUIREMENTS: N/A

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE: Keep from freezing. Store in original container in a locked storage area inaccessible to children and pets. Do not store near food or feedstuffs. Containers over 1 gallon and less than 5 gallons: Persons engaged in open pouring of this product must also wear coveralls or a chemical resistant apron. Containers of 5 gallons or more in capacity must also bear the following statement: A mechanical system (probe and pump) must be used for transferring the contents of this container. If the contents of a non-refillable pesticide container are emptied, the probe must be rinsed before removal.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:

VENTILATION: Good local ventilation is required. Mechanical exhaust may be necessary if product is applied in an enclosed area.

RESPIRATORY PROTECTION: If exposure limits may be exceeded, wear a dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C), or a NIOSH approved respirator with any N, R, P or HE Exposure Controls/Personal Protection (Continued) filter.

EYE PROTECTION: Safety glasses with side shields or safety goggles.

SKIN PROTECTION: Wear long sleeves and pants; chemical-resistant gloves and shoes.

WORK HYGIENIC PRACTICES: After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.



MATERIAL SAFETY DATA SHEET

DEXOL

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Brown Liquid	VAPOR PRESSURE (mmHg): N/A
ODOR: phenolic odor	VAPOR DENSITY (AIR =): N/A
PHYSICAL STATE: Liquid	SPECIFIC GRAVITY: 1.0
BOILING POINT: 212°F	DENSITY: NE
MELTING POINT: N/A	pH: 8.0
FREEZING POINT: <35°F	AUTO IGNITION: N/A
WATER SOLUBILITY: Soluble	OTHER SOLUBILITIES: N/A

SECTION 10: STABILITY AND REACTIVITY

STABILITY: Stable

INCOMPATIBILITY (MATERIAL TO AVOID): Do not mix with acidic materials, as this may ruin the product.

HAZARDOUS POLYMERIZATION: Will not occur

SECTION 11: TOXICOLOGICAL INFORMATION

ACUTE ORAL EFFECTS: Oral LD50: >8000 mg/kg (male rats); >10,000 mg/kg (female rats).

ACUTE DERMAL EFFECTS: Dermal LD50: >2000 mg/kg (rabbits).

CARCINOGENICITY: The International Agency for Research on Cancer (IARC) lists chlorophenoxy herbicides in its Group 2B (limited evidence for carcinogenicity in humans.) The US EPA has given the chlorophenoxy herbicides 2,4-D, 2,4-DP, MCPP, and MCPA a Class D classification (not classifiable as to human carcinogenicity.) More current 2,4-D lifetime feeding studies in rats and mice did not show carcinogenic effects and a recent World Health Organization (WHO) review of 2,4-D toxicology has concluded that 2,4-D is not a carcinogen.

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY: May be hazardous to aquatic invertebrates. Do not apply directly to water; do not contaminate water by drift, runoff, or cleaning of equipment or disposal of washwaters.

ENVIRONMENTAL FATE: 2,4-D: Typical half-lives of 10 to >50 days, BCF value of 7. Dicabma: estimated BCF values 8 - 28

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **CONTAINER DISPOSAL:** For Metal Containers - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. For Plastic Containers - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities by burning. If burned stay out of smoke

SECTION 14: TRANSPORT INFORMATION

***DOT HAZARD DESCRIPTION:** The following guidelines apply for domestic ground transport. If shipping by air or ocean, please contact our Transportation Dept. Freight Class: Herbicides, NOI - NMFC #50320 In our current available sizes, this product does not qualify as a Hazardous Material.

(*) U.S Department of Transportation



MATERIAL SAFETY DATA SHEET

DEXOL

SECTION 15: REGULATORY INFORMATION

OSHA STATUS: This product is hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29 CFR 1910.1200.

TSCA STATUS: This product is exempt from TSCA Regulation under FIFRA Section 3(2)(B)(ii) when used as a pesticide.

CERCLA REPORTABLE QUANTITY: 1764 pounds of the formulation which contains 100 pounds of Dimethylamine 2,4-D

SARA TITLE III:

SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES: None

SECTION 311/312 HAZARD CATEGORIES: Immediate Health Hazard, Delayed Health Hazard

SECTION 313 TOXIC CHEMICALS: Dimethylamine dicamba CAS# 2300-66-5

RCRA STATUS: When discarded in its purchased form, this product is a listed RCRA hazardous waste and should be managed as a hazardous waste. (40 CFR Part 261.20-24)

INDIVIDUAL STATES: States such as Pennsylvania, New Jersey, California, Vermont, Massachusetts and Rhode Island may all have components of this product listed; consult specific state regulatory requirements for additional information.

SECTION 16: OTHER INFORMATION

This information is provided in good faith, but without express or implied warranty. For additional information, refer to the American Conference of Governmental Industrial Hygienists (ACGIH) documentation of TLV's (Threshold Limit Values) for individual components and the DOT Emergency Response Guidebook.
