



MATERIAL SAFETY DATA SHEET

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: AllPro Mill Mist 'S'
EPA REG. NUMBER: 572-316
PRODUCT NUMBER: 340200, 340255

MANUFACTURER: Value Garden Supply
ADDRESS: P.O. Box 585, St. Joseph, MO 64502

MANUFACTURER PHONE: (888) 603-1008
MANUFACTURER FAX PHONE: (952) 884-6149
EMERGENCY PHONE: (800) 858-7378

PRODUCT USE: Controls Flying & crawling insects.

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

<u>INGREDIENTS*:</u>	<u>CAS NO.</u>	<u>% WT</u>	<u>OSHA TWA</u>	<u>OSHA STEL</u>	<u>ACGIH TWA</u>	<u>ACGIH STEL</u>
Resmethrin	10453-86-8	0.250%	NE	NE	NE	NE
Related Compounds	N/A	0.034%	NE	NE	NE	NE
Inert	64742-37-6	99.716%	NE	NE	NE	NE

* All ingredients in quantities > 1.0 % (0.1 % for carcinogens or teratogens) that are **potentially** hazardous per OSHA definitions

N/A = not applicable NE = not established

SECTION 3: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Light Yellow to clear	VAPOR PRESSURE (mmHg): N/A
ODOR: Solvent like odor	VAPOR DENSITY (AIR =): + or - 5
PHYSICAL STATE: Liquid	SPECIFIC GRAVITY: 0.768 @ 60°
BOILING POINT: N/A	DENSITY: N/A
MELTING POINT: N/A	PARTICAL SIZE: N/A
FREEZING POINT: N/A	AUTO IGNITION: N/A
WATER SOLUBILITY: Negligible	OTHER SOLUBILITIES: N/A

SECTION 4: FIRE-FIGHTING MEASURES

FLASH POINT: 130°F (TCC)

AUTOIGNITION TEMPERATURE: N/A

EXTINGUISHING MEDIA: Foam, dry chemical CO2 - Water fog.

SPECIAL FIRE FIGHTING PROCEDURES: Do not use a direct stream of water. Product will float and can be reignited on surface of water. Cool containers with water to prevent vapor pressure buildup which could result in container rupture.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Fumes from fire are hazardous.

NFPA HAZARD CLASSIFICATION:	<u>HEALTH</u> 2	<u>FIRE</u> 2	<u>REACTIVITY</u> 0	<u>SPECIFIC</u> N/A
NFPA HAZARD RATING CODES:	<u>INSIGNIFICANT</u> 0	<u>SLIGHT</u> 1	<u>MODERATE</u> 2	<u>HIGH</u> 3
				<u>EXTREME</u> 4



MATERIAL SAFETY DATA SHEET

SECTION 5: STABILITY AND REACTIVITY

STABILITY: Stable

INCOMPATIBILITY (MATERIAL TO AVOID): Strong Oxidizing agents

HAZARDOUS POLYMERIZATION: Will not occur

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide and unidentified organic compounds may be formed during combustion.

SECTION 6: HEALTH HAZARDS

ACUTE ORAL EFFECTS: Rat, Oral LD50 - >25ML/KG

ACUTE DERMAL EFFECTS: Rabbit, Dermal LD50 - > 5 ML/KG

CARCINOGENICITY: N/A

EMERGENCY AND FIRST AID PROCEDURES

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a Physician or Poison Control Center immediately for treatment advice. DO NOT induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS: Contains petroleum distillate, vomiting may cause aspiration pneumonia.

SECTION 7: PRECAUTIONS FOR SAFE HANDLING

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Do not contaminate water, food or feed by storage or disposal. Store in closed, original container, preferably in a locked storage area that is inaccessible to children and domestic animals. Do not reuse container. Remove birds, pets, and fish bowls before spraying room. Do not use, pour, spill or store near heat or open flame. Remove all ignition sources. Ventilate area. Make sure all personnel involved in spill clean up follow good industrial hygiene practices. Recover free liquid. Cover spill area with absorbent. Prevent spread of liquid by diking. Sweep up contaminated absorbent and place in containers for proper disposal. Wash spill area with detergent and water and added ammonia. Recover washwater for proper disposal. Keep liquid out of public sewer systems and any body of water.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: N/A

RESPIRATORY PROTECTION: None with ventilated area.

EYE PROTECTION: Goggles or face shield

SKIN PROTECTION: Impermeable gloves

WORK HYGIENIC PRACTICES: None



MATERIAL SAFETY DATA SHEET

SECTION 9: OTHER INFORMATION

***DOT HAZARD DESCRIPTION:** Transportation Classification: Package larger than 1 gal. size: Combustible Liquid NOS (Petroleum Distillate Solution) NA1993, PG III. For Package size 1 gallon and smaller, add LTD QTY to this shipping description.

Emergency Planning & Community Right-To-Know (40CFR 370) - No

SECTION 313 Information (40CFR 372) - No

CERCLA Information - No

RECRA Information - No

(*) U.S Department of Transportation

This information is provided in good faith, but without express or implied warranty. For additional information, refer to the American Conference of Governmental Industrial Hygienists (ACGIH) documentation of TLV's (Threshold Limit Values) for individual components and the DOT Emergency Response Guidebook.