

DEXOL[®]

CONCENTRATE

Super BK 32 Brush Killer

A woody plant herbicide for
controlling mixed brush



NET CONTENTS 32 OZ. (946 ml)

ACTIVE INGREDIENTS:

Isocetyl (2-ethylhexyl) Ester of 2,4-Dichlorophenoxyacetic Acid*	16.05%
Isocetyl (2-ethylhexyl) Ester of (+)-R-2-(2,4-Dichlorophenoxy) propionic Acid**†	8.05%
Inert Ingredients**	75.90%
Total	100.00%

Isomer Specific by AOAC Method

*2,4-Dichlorophenoxyacetic Acid Equivalent..... 10.6% 0.78lbs./gal.

** (+) -R-2-(2,4-Dichlorophenoxy) Propionic Acid Equivalent..... 5.4% 0.40 lbs./gal.

***This product contains Petroleum Distillate

†CONTAINS THE SINGLE ISOMER FORM OF DICHLORPROP-p

KEEP OUT OF REACH OF CHILDREN

CAUTION See Side Panels for First Aid and Additional Precautionary Statements.

EPA Reg. No. 228-186-192 EPA Est. No. 44616-A0-2

RM16148

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

BRUSH CONTROL – Dexol Super BK 32 Brush Killer Concentrate is specifically designed to control woody plants in all residential areas. This product also controls many noxious perennial weeds on uncropped land. The following is a partial list of the weeds controlled: Alder, Ash, Aspen, Birch, Blackberry, Black cherry, Blackjack oak, Black locust, Box elder, Brambles, Coffeeberry, Currant, Elderberry, Fir, Gooseberry, Greenbrier, Gum, Hemlock, Honeysuckle, Locust, Manzanita, Maple, Multifloral rose, Oaks, Osage orange, Palmetto, Pine, Poison ivy, Poison oak, Poplar, Red elder, Red elm, Salmonberry, Sand sagebrush, Serviceberry, Shinnery oak, Snowberry, Spruce, Sumac, Sycamore, Tulip poplar, Wild cherry, Wild grape, Wild rose, Winged elm, Yerba santa, and many other species.

TO PREPARE SPRAY: Add one-half the required amount of water to the spray tank, then add this product with agitation and finally the balance of the water with continued agitation. This material forms an emulsion in water, not a solution. This tends to separate on standing. Provide agitation to prevent such separation and ensure a uniform mixture.

FOLIAGE STEM TREATMENT: Use as a spray on thick brush composed of mixed species. Apply to both stems and foliage from the time foliage is completely matured until the plants start to go dormant. All leaves, stems and suckers must be completely wet to the ground line for effective control. Some regrowth may be anticipated on the more resistant species, such as oak, maple, ash and persimmon. Add 2/3 to 1 pint of Dexol Super BK 32 Brush Killer Concentrate to 4 gallons of water using 8 1/3 to 25 gallons of spray mixture per 1800 square feet, depending upon the height and thickness of the brush. Mix thoroughly before spraying.

SPOT TREATMENT: For spot spraying with backpack sprayer mix 2 cups (16 fl. oz.) Dexol Super BK 32 Brush Killer Concentrate with 5 gallons of water. Wet brush stems and foliage thoroughly.

MODIFIED BASAL TREATMENT: Drench the base of plants, then wet the lower 4/5 of remaining stems and leaves thoroughly to runoff. Apply treatment when brush is in full foliage. This method can be applied where susceptible species have been controlled by prior sprays and more resistant species, such as maple and oak, remain. Soaking the base of the plant and wetting all stems to runoff is absolutely necessary for complete control.

CONCENTRATE STUMP TREATMENT: For small (up to 3 inch diameter) stems, cut them as close to the ground as possible and apply undiluted Dexol Super BK 32 Brush Killer Concentrate directly from the container to the surface of the freshly cut stump.

TURF CONTROL: Dexol Super BK 32 Brush Killer Concentrate is recommended for control of broadleaf weeds in Residential Turf areas. This treatment may injure bentgrass, St. Augustinegrass, centipedegrass, carpetgrass and newly seeded lawns. If necessary to control weeds in such turf, use half the recommended rate in chart and repeat application in 2 to 3 weeks. Do not apply to Lippia, Dichondra and where desirable. Clovers are present nor on bentgrass greens and tees as severe turf injury may result.

Do not use this product to control weeds in flower and vegetable beds, shrubs and ornamental plantings. Spray when air is calm to avoid spray drift that might injure nearby desirable plants. A separate sprayer should be kept for killing weeds as 2,4-D and related chemicals are difficult to clean from equipment.

The following is partial list of weeds controlled in turf by Dexol Super BK 32 Brush Killer Concentrate:

MORE SUSCEPTIBLE WEEDS

Black medic	Dandelion	Little starwort
Buttercup	*English daisy	Oxalis (woodsorrel)
Chickweed (common-mouseear)	Ground ivy	Plantain (narrow-or buckhorn broadleaf)
Healall	Cudweed	Knotweed
*Spurge		

*Treat in Spring and again in Fall.

LESS SUSCEPTIBLE WEEDS

Bindweed	Kochia	Vervain
Dock	Lambsquarter	Vetch
Evening primrose	Mallow	Violet
False dandelion	Pigweed	Wild carrot
Florida Pusley	Poorjoe	Wild lettuce
Ragweed		

This product is NOT effective on perennial veronics or on weed grasses.

PREPARATION OF THE SPRAY: Fill the spray tank with half of the required amount of water, then add the recommended amount of Dexol Super BK 32 Brush Killer Concentrate with agitation and finally the balance of water with agitation.

Apply any time broadleaf weeds are growing actively. Dandelion, Plantain, Wood-sorrel and clovers are best treated in the Fall or in Spring before flower heads develop. Winter weeds such as Chickweeds and Henbit should be treated in early spring.

LAWNS: Summer weeds such as Oxalis, Knotweed and Spurge should be sprayed when they are small. In areas with extended growing seasons, such as California, treatment in both Spring and Fall may be needed to control more resistant species.

Lawns to be over-seeded in the Fall should be treated at least 4 weeks before the planned seeding date. Rainfall (1/4 inch or more) or irrigation should follow treatments. Fall-seeded lawns may be treated the following Spring. Spring-seeded lawns may be treated after the grasses have sprouted and been cut at least twice, generally 6 to 10 weeks after seeding, depending on germination and growth rate.

FOR ESTABLISHED LAWNS: Fall treatment fits into a good turf management program. Proper fertilization and mowing should be combined with chemical weed control to thicken the turf after the weeds have died and to discourage more weeds from invading.

AMOUNTS TO USE

Dexol Super BK 32 Brush Killer Concentrate	Areas Covered	Volume
3 fl. oz.	1,000 sq. ft.	1 gal.
1 pt.	5,000 sq. ft.	5 gal.

**DEXOL SUPER BK32 BRUSH KILLER CONCENTRATE
PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin, or clothing. Avoid breathing vapors or spray mist. When using this product, wear long-sleeved shirt, long pants, socks, shoes and chemical resistant gloves. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water before eating or smoking. Remove saturated clothing as soon as possible and shower. The maximum number of broadcast applications to turf per treatment site is 2 per year. Do not allow people [other than applicator] or pets on treatment area during application. Do not enter treatment areas until spray has dried.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice.
NOTE TO PHYSICIAN: Contains petroleum distillate - vomiting may cause aspiration pneumonia.	

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or run-off may adversely affect aquatic invertebrates and non-target plants. Do not apply directly to water. When cleaning equipment, do not pour washwaters on the ground, spray or drain over a large area away from wells and other water sources. Do not contaminate water when disposing of equipment washwaters. Do not apply this product through any type of irrigation system. Do not contaminate irrigation ditches or water used for domestic purposes. If spills occur, collect the material and dispose of by following disposal instructions on this label. Use care to avoid spray contact or drift to 2, 4-D or 2, 4-DP susceptible plants such as okra, cotton, tomatoes, flowers, grapes, fruit trees, vegetables and ornamentals. Do not permit spray mist containing this product to drift onto them, since even very small quantities of the spray, which may not be visible, can cause severe injury during both growing and dormant periods. Do not spray when the wind is blowing towards susceptible crops or ornamental plants. Use coarse sprays to minimize drift. Most cases of groundwater contamination involving phenoxy herbicides such as 2, 4-D and 2, 4-DP have been associated with mixing/loading and disposal sites. Caution should be exercised when handling these pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing and transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

Distributed by Value Garden Supply, LLC EPA Reg No. 228-186-192 RM# 16149
PO Box 585, St. Joseph, MO 64502-0585 EPA Est. No. 44616-MO-2 (952) 884-6477



DEXOL SUPER BK32 BRUSH KILLER CONCENTRATE

STORAGE & DISPOSAL

STORAGE: To be stored in original container and placed in an area inaccessible to children.

DISPOSAL: If empty - Do not reuse this container. Place in trash or offer for recycling if available. If partly filled - If product cannot be used as directed, call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

WARRANTY: Seller warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any use contrary to such directions.

NOTE: Local conditions and application regulations vary and may effect use of this herbicide. Consult local Agricultural Experiment Station or Extension Service weed specialists and State regulatory agencies for recommendations in your area.

For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

Distributed by:
Value Garden Supply, LLC
PO Box 585
St. Joseph, MO 64502
(952) 884-6477
www.valuegardens.com

EPA Reg. No. 228-186-192
EPA Est. No. 44616-MO-2

RM#16149

PEEL HERE TO OPEN ▶